



SILIGURI TEAAUCTION COMMITTEE

P.O. - PRADHAN NAGAR SILIGURI - 734003 20th October, 2014

Circular No.176/03/2014

To

All Producers:

Dear Sir,

We invite your kind attention to the Tea Board letter Ref. No.Tea Council/LC/Policy/2014/1707 dated 16th October, 2014, reproduced below for your information and necessary compliance.

Thanking you,

Yours faithfully,

Secretary

Cc to 1. All Broker Members
2. The Chairman, STAC
3. The Vice Chairman, STAC

(C O P Y) Tea Board 14, B.T.M.Sarani, Kolkata – 700 001

Ref:No.Tea Council/LC/Policy/2014/1707

Dated:16.10.2014

To

Secretary	Secretary	Secretary
Calcutta Tea Traders Association(CTTA)	Guwahati Tea Auction Committee (GTAC)	Siliguri Tea Auction Committee (STAC)
6, Netaji Subhas Road	G.S.Road, Dispur	P.O.Pradhan Nagar, Mallasugir
Kolkata - 700 001	Guwahati - 781 006	Siliguri – 734 003
Secretary	Secretary	Secretary
Tea Trade Association of Cochin	Tea Trade Association of	The Coonoor Tea Trade Association
(TTAC)	Coimbatore (TTAC)	(CTTA)
Tea Trade Centre	Tea Trade Centre	Tea Community Cenrre
Indira Gandhi Road, Willington	7/65, Mettupalayam Road, G.N.Mills P.O.,	30E, fQuail Hill, Coonoor-643 101
Island, Kochi – 682 003	Coimbatore - 641 029	Nilgiris
Executive Officer		
North Bengal Tea Auction Committee		
Shibaji Road, Hakimpara		
Jalpaiguri – 735 101		

Sub: Request for accepting teas complied with FSSA, 2006 norms

Dear Sir(s),

With reference to the above subject, it is to inform you that off late Tea Board is coming across many cases where the teas purchased from the Auction Centres are not complying to the standards stipulated by FSSAI although the producers are providing declaration in respect of FSSAI compliance before auctioning their teas. These purchased teas are either used in the local market or exported out of the country.

You are therefore requested to take up the matter with your concerned producer members only and ensure that only quality teas are auctioned in your centres.

Yours faithfully, Sd/- Rajanigandha Seal Naskar Controller of Licensing